

ISSUED NOV 08/86 12061	PATENT NUMBER
---------------------------	------------------

SERIAL NUMBER 08/612,061	FILING DATE 03/07/96	CLASS 604	SUBCLASS 96	GROUP ART UNIT 3306	EXAMINER Blyne VanOver
-----------------------------	-------------------------	--------------	----------------	------------------------	------------------------------

APPLICANTS: JAMES E. COX, PLYMOUTH, MN; RICHARD G. CORNELIUS, WAYZATA, MN;  
TRACEE E. J. EIDENSCHINK, WAYZATA, MN; GREGORY A. BOLDENOW, CRYSTAL, MN;  
BROOKE Q. REN, BROOKLYN PARK, MN.

\*\*CONTINUING DATA\*\*\*\*\*

VERIFIED THIS APPLN IS A CIP OF 08/441,618 05/15/95  
WHICH IS A CIP OF 08/204,733 03/02/94 ABN

\*\*FOREIGN/PCT APPLICATIONS\*\*\*\*\*

VERIFIED

FOREIGN FILING LICENSE GRANTED 07/15/96

Foreign priority claimed 35 USC 119 conditions met	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	AS FILED	STATE OR COUNTRY MN	SHEETS DRWGS. 8	TOTAL CLAIMS 12	INDEP. CLAIMS 4	FILING FEE RECEIVED \$958.00	ATTORNEY'S DOCKET NO. 33019/138/1
---	---	-------------	---------------------------	-----------------------	-----------------------	-----------------------	------------------------------------	---

Verified and Acknowledged Examiner's Initials  
GLENN M. SEAGER  
ADDRESS: NAWROCKI ROONEY AND SIVERTSON  
BROADWAY PLACE EAST SUITE 401  
3433 BROADWAY STREET NORTHEAST  
MINNEAPOLIS MN 55413

TITLE: PERFUSION BALLOON ANGIOPLASTY CATHETER

U.S. DEPT. OF COMM. / PAT. & TM. — PTO-436L (Rev. 12)

PARTS OF APPLICATION FILED SEPARATELY		Applications Examiner	
NOTICE OF ALLOWANCE MAILED		CLAIMS ALLOWED	
		Total Claims	Print Claim
ISSUE FEE		DRAWING	
Amount Due	Date Paid	Sheets Drwn	Print Drwn
		Print Fig	
Label Area		ISSUE BATCH NUMBER	
PREPARED FOR ISSUE			
WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35 Sections 122, 181 and 369. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.			

Form PTO-436A  
(Rev. 10/92)

(FACE)

BEST AVAILABLE COPY